



86 SERIES

SPECIFICATIONS SHEET

DRUM LIFTERS

Lift a Drum with your Crane

Safety Conscious Lifters with Under-Drum Support

- Attach to crane, monorail or hoist
- Set drum on bottom support
- Secure web strap around drum
- Lift steel, plastic or fiber drum
- Capacity: 1000 Lb. (454 kg)

Lift and Transport Steel, Plastic or Fiber Drum:


- 22" to 23.5" (55.9 cm to 59.7 cm) diameter
- 23" to 38" (58.4 cm to 96.5 cm) tall
- Accepts Diameter Adapters for smaller drum down to 14" (35.6 cm) diameter

Where is this drum lifter used?

- Docks and mezzanines
- Oil rigs and other marine applications
- Construction sites

MODEL	DESCRIPTION	CAPACITY
86	Drum Lifter with web strap around drum	1000 Lb. (454 kg)
86-SS	Stainless Steel Drum Lifter with web strap around drum	1000 Lb. (454 kg)

Model 86
made of carbon steel
painted blue



Model 86-SS
made of type 304
stainless steel

Attach the drum lifter to your hoist or crane hook to lift and move an upright drum. You may also attach it to your forklift with Morse model 284 Fork Hook.



Model 284 Fork Hook

Secure drum with web strap and ratchet positive grip mechanism around the drum. Drum is supported from below by a bar at the bottom. This ensures that your drum will be transported safely with no chance of sliding out. No tools are necessary. Once loaded, the unit carries the drum without tilting it.

Each Model 86 and 86-SS is load tested at the factory at 125% of rated capacity as per American National Standard ASME B30.20. A load test certificate is shipped with each unit.



86 SERIES Drum Lifters SPECIFICATIONS SHEET

OPTIONS, KITS & ACCESSORIES



Factory Installed Option # 6314i-P (shown left)
Cinch Chain and Ratchet on new model 86

Factory Installed Option # 6314SSi-P
Stainless Steel Cinch Chain and Ratchet on new model 86-SS

Cinch Chain option is preferred in applications with caustic or abrasive materials. Alloy cinch chain is longer lasting, and more resistant to wear, heat, chemicals, etc.


Kit # 6314-P
Cinch Chain and Ratchet for customer to install on model 86

Kit # 6314SS-P (shown right) Stainless Steel Cinch Chain and Ratchet for customer to install on model 86-SS



55/30 Series
Diameter Adapters for Smaller Drums


Install the correct size Diameter Adapter for each drum.



FORK POCKET KIT

Fork Pocket Kit # 6315-P

Add fork pockets to below-hook drum handler.
Install on model 85A, 85G, 85i, 86, 185A, 185G, 185A-HD or 185G-HD.
NOT for model with spark resistant parts.



Kit 6315-P
installed on
model 185A-HD






86 SERIES

Drum Lifters


SPECIFICATIONS SHEET

DIMENSIONS

Drum Lifter Dimensions for Model 86 and Model 86-SS



Lifting Eye Detail





CUSTOM DRUM LIFTERS




Custom Model # 86S-2D for 2 drums
Capacity: 2000 Lb. (907 kg) total, 1000 Lb. (454 kg) per drum




Custom Model # 86S-2LP
with 2 lifting points
Shown with Cinch Chain
OPTION 6314i-P



Custom Model # 86S-3LP
with 3 lifting points
Shown with Cinch Chain
OPTION 6314i-P



Custom Model # 86S-FP
with fork pockets, and
1000 Lb. (454 kg) capacity



Custom Model # 86S-FPHD
with fork pockets, and
2000 Lb. (907 kg) capacity

CUSTOM DRUM LIFTERS

MODEL	DESCRIPTION	CAPACITY	DOMESTIC SHIP WEIGHT	DOMESTIC SHIP DIMENSIONS
86S-2D	Drum Lifter for 2 drum	1000 Lb. (454 kg) per drum	180 Lb. (81.6 kg)	L48" x W40" x H57" (122 x 102 x 145 cm)
86S-2LP	Drum Lifter with 2 lifting points	1000 Lb. (454 kg)	65 Lb. (29.5 kg)	L28" x W19" x H30" (71 x 48 x76 cm)
86S-3LP	Drum Lifter with 3 lifting points	1000 Lb. (454 kg)	72 Lb. (34 kg)	L28" x W19" x H30" (71 x 48 x76 cm)
86S-FP	Drum Lifter with added fork pockets	1000 Lb. (454 kg)	118 Lb. (53.5 kg)	L37" x W33" x H37" (94 x 84 x 94 cm)
86S-FPHD	Heavy-Duty Drum Lifter with added fork pockets	2000 Lb. (907 kg)	241 Lb. (109 kg)	L37" x W33" x H58" (94 x 84 x 147 cm)